






# YE81F-200B

## Plan View





# YE81F-200B

## Technical parameters

### "Turn-out" Type Metal Baler

Model: YE81F-200B

#### Power System (Motor, 2 sets)

Type: Y180M-4  
 Rated Power: 18.5 kW (/set)  
 Rated Speed: 1470 rpm  
 Power Spec: 3PH, 50 / 60Hz

#### Hydraulic System (Pump, 2 sets)

Type: 80YCY14-1B  
 Rated Displacement: 80 ml/r (/set)  
 Max Operating Pressure: 31.5 MPa

#### Standard Configuration

#45 Steel Liners 20mm, Wholly Heat Treated;  
 NOK (JAPAN) Seal Packings for Cylinders;  
 Cooler / Heater; Magnetic Oil Filter.

#### System Parameters

Lid Cyl. Force: 63 Ton  
 Side Pressure Cyl. Force: 2×100 Ton  
 Main Pressure Cyl. Force: 200 Ton  
 Bale Discharge Cyl. Force: 10 Ton  
 Hydraulic System Pressure: 25 MPa  
 Idle Cycle Time: Approx. 90 Sec

#### Operation System

Manual Valve Operation

#### Optional Configuration

Cutting Blades & Teeth (2 sides);  
 Mn65 Steel Liners for High Pressure Chamber;  
 Diesel / Diesel Generator for Power.

#### General Description

Main Machine Size (L×W×H): 4300×3500×2600 mm  
 Press Box Size (L×W×H): 1600×1200×800 mm  
 Bale Size (W×H): 400×400 mm  
 Bale Weight (Steel): 120-220 kg  
 Production Rate (Steel): 2.5-4.5 tons/hr  
 Shipping Weight: Approx. 14.5 tons  
 Loading (Standard Containers): 1×20'OT

#### Hydraulic Oil Brand

Oil Tank Volume: 1400 ltr

ISO VG	China	U.S.		Britain	France
	GB11118.1	CALTEX CO.	MOBIL	SHELL	ELF CO.
HM 46	46 #	Rando HD46	D.T.E46	Tellus 46	Elfolna 46
HM 68	68 #	Rando HD68	D.T.E68	Tellus 68	Elfolna 68

Above information are indicative not engaging. Rights reserved for change if necessary.